



WALL SCHEDULE			
TAG	WALL TYPE	ASSEMBLY	USE(S): ADDITIONAL NOTES
W1		W1 - 8mm STEEL STUD DEMISING WALL 12.7mm (1/2") GYPSUM BOARD. 92.1mm (3 1/2") METAL STUD LAYER c/w BATT INSULATION. 12.7mm (1/2") GYPSUM BOARD	INTERIOR SOUND PROOF OFFICE PARTITION INSULATION TO BE INSTALLED TO UNDERSIDE OF DECKING ABOVE FOR SOUND PROOFING.
W2		W2 - 8mm STEEL STUD DEMISING WALL 12.7mm (1/2") GYPSUM BOARD 92.1mm (3 1/2") METAL STUD LAYER 12.7mm (1/2") GYPSUM BOARD	INTERIOR PARTITION
W3		W3 - INTERIOR PARTITION GYPSUM 1 SIDED 12.7mm (1/2") GYPSUM BOARD 63.5mm (2 1/2") STEEL STUD LAYER	INTERIOR COLUMN WRAPS
W4		W4 - INTERIOR CURTAIN WALL	INTERIOR CURTAIN WALL PARTITION
W5		W5 - 203.2mm CMU WALL w/ GYPSUM BOARD 1 SIDE 203.2mm (8") CONCRETE MASONRY UNITS (EXISTING) 12.7mm (1/2") FURRING CHANNEL 12.7mm (1/2") GYPSUM BOARD	INTERIOR PARTITION
W6		W6 - FINE DATED DEMISING WALL 15.9mm (5/8") GYPSUM BOARD 92.1mm (3 1/2") METAL STUD LAYER 15.9mm (5/8") GYPSUM BOARD	INTERIOR PARTITION, SERVER ROOM